A SUMMARY OF MY RESEARCH (JANUARY 2019)

J.M. LANDSBERG

My research interests are broad: Cartan style differential geometry, classically influenced algebraic geometry, the geometry of homogeneous varieties, categorical generalizations of Lie algebras, the geometry and application of tensors, and most recently, complexity theory. I am the the author of the graduate texts Geometry and Complexity Theory [42], Tensors: geometry and applications [38], the CBMS lecture notes Tensors: Asymptotic Geometry and Developments 2016-2018 [62], and the co-author (with Ivey) of Cartan for beginners [22] (second edition [23]). What follows is a summary of results organized by themes.

Complexity theory. Algebraic complexity theory deals with determining the computational cost of common operations such as multiplying matrices or computing the discrete Fourier transform. There are three aspects: lower bounds - showing there does not exist a better algorithm, upper bounds – showing there does, and algorithms– finding fast algorithms. In 1969 Strassen discovered the standard algorithm for multiplying $n \times n$ matrices is not optimal, and since then computer scientists have conjectured that as n goes to infinity, it becomes almost as easy to multiply two $n \times n$ matrices as it is to add them. For the central problem of determining the complexity of matrix multiplication, there had been no progress on lower bounds for 25 years until my breakthrough papers [35, 66]. In current work, I am initiating a project to use algebraic geometry to prove upper bounds and find practical algorithms [57, 2] (also see my student Austin Conner's [8]), and a different program to implement Strassen's laser method with the aid of algebraic geometry and representation theory [11, 9, 10]. A second central problem is permanent v. determinant, Valiant's algebraic analog of P v. NP. I have several important results regarding permanent v. determinant, including the first exponential separation of permanent from determinant in any restricted model [63], and the best separation in the Mulmuley-Sohoni model [64] (with Manivel and Ressayre).

- First exponential separation of permanent from determinant in any restricted model [63] (with Ressayre).
- First improvement on the lower bound of the border rank the matrix multiplication tensor since 1985 [66] (with Ottaviani), as well as current world record [65] (with Michalek).
- Solved problem from 1980 to determine the border rank of the 2×2 matrix multiplication tensor [35]. Gave second proof using completely different methods (with Hauenstein and Ikenmeyer) [19].
- First improvement in the lower bound of the rank the matrix multiplication tensor since 1999 [39]. Current world record was obtained by students working under my direction [72].
- Demonstration that the exponent of matrix multiplication is also governed by the Waring rank and border rank of the symmetrized matrix multiplication polynomial, transporting the question from tensors to the well-studied area of cubic hypersurfaces [7] (with Chiantini, Hauenstein, Ikenmeyer, and Ottaviani).

- Establishment of mathematical foundations of Geometric Complexity Theory, an approach to Valiant's conjecture via algebraic geometry and representation theory proposed in [73, 74] by Mulmuley and Sohoni [6] (with Burgisser, Manivel and Weyman) and [40].
- Current world record for the GCT separation of permanent from determinant [64] (with Manivel and Ressayre).
- Proved the celebrated method of shifted partial derivatives, despite hopes of computer scientists, cannot be used to prove any significant separation of permanent from determinant [14] (with Efremenko, Schenck, and Weyman) and [17] (with Gesmundo).
- Geometric study of algorithms of Smirnov and Bini et. al. [57] (with Ryder).
- New decompositions of the 3 × 3 matrix multiplication tensor found with the aid of geometry [2] (with Ballard, Ikenmeyer and Ryder).
- Extremal characterizations of the Coppersmith-Winograd tensor used in [12, ?] to prove the best upper bounds for the exponent of matrix multiplication that indicate it will be difficult to find a better tensor for the Coppersmith-Winograd method as proposed in [1], [53, 54] (with Michalek).
- Establishment of methods from algebraic geometry to prove matrix rigidity, including the first non-classical equations for non-rigidity [15] (with Gesmundo, Hauenstein, and Ikenmeyer).
- Established conditions for modules of obstructions in the sense of GCT to be useful, which was used by Ikenmeyer-Panova [?] to disprove the central conjecture of GCT [24] (with Kadish).
- Determined geometric formulation via spinors, and generalizations of, Valiant's holographic algorithms [55] (with Morton and Norine) and [37].

Tensors, Waring problems, and applied tensor questions. Tensors have long been used in theoretical physics. Recently they have appeared in diverse areas such as complexity theory, signal processing, numerical PDE, and quantum information theory. I have done foundational work to establish sound mathematical footing for these applications, including ground-breaking work in the study of rank and border rank of tensors, properties that arise in all the above-mentioned applications. Thanks to text [38], I have been recruited for geometric assistance with tensor problems in diverse application areas [71, 13].

- World record for symmetric border rank lower bounds of explicit polynomials [17] (with Gesmundo).
- Classification of 1-generic tensors with maximal and near maximal dimensional symmetry groups [11] (with Conner, Gesmundo and Ventura).
- Numerous counter-examples to the quantum max-flow/min-cut conjectures [16] (with Gesmundo and Walter).
- Significant advancement in characterization of tensors of minimal border rank [53] (with Michalek).
- First examples of explicit tensors with rank greater than twice their border rank, giving a counter-example to a conjecture of Rhodes [53] (with Michalek).
- Series of papers determining equations for secant varieties of Segre varieties (i.e., algebraic tests for border rank of tensors), and more generally of homogenous varieties [19, 50, 51, 61, 60, 19] (with various co-authors among Hauenstein, Ikenmeyer, Manivel, Ottaviani, Weyman)
- First explicit $m \times m \times m$ tensors of border rank at least 2m-1 [41].

- Major breakthrough in the study of ranks of polynomials by exploiting the singularities of corresponding hypersurfaces [58] (with Teitler), which has inspired a significant body of work on the subject.
- Answered question of Grasedyk on tensor network states, showing a widely used assumption in solid state physics was false [67] (with Qi and Ye).
- Established basic facts about tensor rank and border rank and more generally secant varieties of cominuscule varieties [4, 5] (with Buczynski).

Homogeneous varieties and representation theory. My work in this area (primarily joint with Manivel) deals with the study of homogeneous varieties from the novel perspective of local projective differential geometry. The work has revealed remarkable algebraic structures that have been used by geometers in Gromov-Witten theory, Schubert calculus and other areas. Moreover it shows how a considerable amount of representation theory can be deduced simply from the local differential geometry of homogeneous varieties (e.g., the classification of complex simple Lie algebras [49]). In another direction, the project established significant new information about the exceptional groups and their representation theory, for example answering questions on categorical generalizations of the exceptional series due to Deligne [44] and categorical generalizations of general simple (super) Lie algebras due to Vogel [47].

- Series of papers examining the projective differential geometry of homogeneous varieties including a new proof of the classification of complex simple Lie algebras based on their projective differential geometry, and discovery of $E_{7\frac{1}{2}}$ [46, 43, 45, 52, 49] (with Manivel).
- Series of papers investigating the geometry of homogeneous varieties associated to the exceptional groups, answering questions on categorical generalizations the exceptional series due to Deligne [44] and of general simple (super) Lie algebras due to Vogel [47] (both with Manivel) and [52] (with Manivel and Westbury).
- Established surprising connections between longstanding conjectures in combinatorics (Alon-Tarsi) and algebraic geometry/representation theory (Hadamard-Howe), as well as certain integrals over unitary groups [25] (with Kumar).
- Series of papers studying Griffiths-Harris rigidity of homogeneous varieties, including a proof of their rigidity conjecture and establishment of new methods for exterior differential systems (EDS), with the introduction of Lie algebra cohomology techniques and filtered EDS. [69, 68] (with Robles), and [36, 33].

Projective geometry. My work in this area addresses classically flavored questions in projective algebraic geometry approached with modern methods from exterior differential systems and representation theory. Highlights include an explicit counter-example to the infinitesimal LeBrun-Salamon conjecture [70] on quaternionic-Kähler manifolds and contact Fano manifolds [48], affirmation of Hartshorne's conjecture on complete intersections for varieties cut out by quadrics [29], resolution of a conjecture of Kontsevich originating in physics calculations by translating it to classical algebraic geometry [32], counter-examples to a conjecture of Eisenbud-Koh-Stillmann [3], and resolution of the classical problem to determine defining equations for the variety of hypersurfaces with degenerate dual varieties [64].

- Counter-example to a conjecture of Eisenbud-Koh-Stillmann, and answer to a question of Eisenbud, on secant varieties of Veronese re-embeddings of varieties, [3] (with Buczynski and Ginesky).
- Explicit counter-example to the infinitesimal LeBrun-Salamon conjecture, namely construction of a smooth inhomogeneous Legendrian variety in dimension two [48] (with Manivel).

- Geometrization and resolution of a conjecture of Kontsevich regarding Hadamard inverses of orthogonal matrices [32].
- Series of papers examining the existence and non-existence of linear spaces on projective varieties. Results include an n! upper bound on the number of lines through a general point of a uni-ruled n-fold [34] and a differential-geometric test for uni-ruledness [31] that was used in [18] in their breakthrough on the Erdös distinct distances problem, a Fubinitype theorem in codimension two [56] (with Robles), and progress on the Debarre-de-Jong conjecture [59] (with Tommasi).
- Affirmation of Harshorne's conjecture for varieties cut out by quadrics and differential-geometric characterization of complete intersections [29].
- Established a new upper bound for the size of spaces of symmetric matrices of constant rank and its relation to degeneracy loci and dual varieties [20] (with Ilic).
- Differential-geometric proof of Zak's theorem on Severi varieties as well as establishment of infinitesimal structure of varieties with degenerate secant and tangential varieties [30].
- Determination of defining equations for the variety of hypersurfaces with degenerate dual varieties [64] (with Manivel and Ressayre).
- Singularities of varieties of small codimension can be detected just from second order projective differential geometric information at a general point [28].

Minimal submanifolds. My early work used methods from exterior differential systems and representation theory to work on classical questions about minimal submanifolds and generalizations of calibrated geometries.

- Generalization of calibrated geometry, Weierstrass type formulas for minimal 3-folds in 5-space, [27, 26].
- Determined existence and non-existence of minimal isometric embeddings of quasi-curved manifolds [21] (with Ivey).

References

- 1. Andris Ambainis, Yuval Filmus, and François Le Gall, Fast matrix multiplication: limitations of the Coppersmith-Winograd method (extended abstract), STOC'15—Proceedings of the 2015 ACM Symposium on Theory of Computing, ACM, New York, 2015, pp. 585–593. MR 3388238
- 2. Grey Ballard, Christian Ikenmeyer, J.M. Landsberg, and Nick Ryder, *The geometry of rank decompositions of matrix multiplication ii: 3x3 matrices*, to appear in JPAA.
- 3. Jaroslaw Buczyński, Adam Ginensky, and J. M. Landsberg, Determinantal equations for secant varieties and the Eisenbud-Koh-Stillman conjecture, J. Lond. Math. Soc. (2) 88 (2013), no. 1, 1–24. MR 3092255
- 4. Jaroslaw Buczyński and J. M. Landsberg, Ranks of tensors and a generalization of secant varieties, Linear Algebra Appl. 438 (2013), no. 2, 668–689. MR 2996361
- 5. _____, On the third secant variety, J. Algebraic Combin. 40 (2014), no. 2, 475–502. MR 3239293
- 6. Peter Bürgisser, J. M. Landsberg, Laurent Manivel, and Jerzy Weyman, An overview of mathematical issues arising in the geometric complexity theory approach to VP ≠ VNP, SIAM J. Comput. 40 (2011), no. 4, 1179–1209. MR 2861717
- 7. Luca Chiantini, Jonathan D. Hauenstein, Christian Ikenmeyer, Joseph M. Landsberg, and Giorgio Ottaviani, *Polynomials and the exponent of matrix multiplication*, Bull. Lond. Math. Soc. **50** (2018), no. 3, 369–389. MR 3829726
- 8. A. Conner, A rank 18 Waring decomposition of $sM_{-}(3)$ with 432 symmetries, ArXiv e-prints, to appear in Exper. Math. (2017).
- 9. A. Conner, F. Gesmundo, J. M. Landsberg, E. Ventura, and Y. Wang, A geometric study of Strassen's asymptotic rank conjecture and its variants, ArXiv e-prints arXiv:1811.05511 (2018).
- 10. Austin Conner, Fulvio Gesmundo, J.M. Landsberg, and Emanuele Ventura, Kronecker powers of tensors with symmetry, preprint.
- 11. _____, Tensors with maximal symmetries, preprint.

- 12. Don Coppersmith and Shmuel Winograd, Matrix multiplication via arithmetic progressions, J. Symbolic Comput. 9 (1990), no. 3, 251–280. MR 91i:68058
- 13. Fernando De Terán, Froilán M. Dopico, and J. M. Landsberg, An explicit description of the irreducible components of the set of matrix pencils with bounded normal rank, Linear Algebra Appl. **520** (2017), 80–103. MR 3611459
- 14. K. Efremenko, J. M. Landsberg, H. Schenck, and J. Weyman, On minimal free resolutions and the method of shifted partial derivatives in complexity theory, ArXiv e-prints (2015).
- 15. Fulvio Gesmundo, Jonathan D. Hauenstein, Christian Ikenmeyer, and J. M. Landsberg, *Complexity of linear circuits and geometry*, Found. Comput. Math. **16** (2016), no. 3, 599–635. MR 3494506
- Fulvio Gesmundo, J. M. Landsberg, and Michael Walter, Matrix product states and the quantum maxflow/min-cut conjectures, J. Math. Phys. 59 (2018), no. 10, 102205, 11. MR 3865047
- 17. Fulvio Gesmundo and JM Landsberg, Explicit polynomial sequences with maximal spaces of partial derivatives and a question of K. Mulmuley, arXiv:1705.03866.
- 18. Larry Guth and Nets Hawk Katz, On the Erdős distinct distances problem in the plane, Ann. of Math. (2) 181 (2015), no. 1, 155–190. MR 3272924
- 19. Jonathan D. Hauenstein, Christian Ikenmeyer, and J. M. Landsberg, Equations for lower bounds on border rank, Exp. Math. 22 (2013), no. 4, 372–383. MR 3171099
- Bo Ilic and J. M. Landsberg, On symmetric degeneracy loci, spaces of symmetric matrices of constant rank and dual varieties, Math. Ann. 314 (1999), no. 1, 159–174. MR MR1689267 (2000e:14091)
- Thomas Ivey and J. M. Landsberg, On isometric and minimal isometric embeddings, Duke Math. J. 89 (1997), no. 3, 555–576. MR 1470342 (98g:53109)
- 22. Thomas A. Ivey and J. M. Landsberg, Cartan for beginners: differential geometry via moving frames and exterior differential systems, Graduate Studies in Mathematics, vol. 61, American Mathematical Society, Providence, RI, 2003. MR 2003610 (2004g:53002)
- Thomas A. Ivey and Joseph M. Landsberg, Cartan for beginners, Graduate Studies in Mathematics, vol. 175, American Mathematical Society, Providence, RI, 2016, Differential geometry via moving frames and exterior differential systems, Second edition [of MR2003610]. MR 3586335
- Harlan Kadish and J. M. Landsberg, Padded polynomials, their cousins, and geometric complexity theory, Comm. Algebra 42 (2014), no. 5, 2171–2180. MR 3169697
- Shrawan Kumar and J. M. Landsberg, Connections between conjectures of Alon-Tarsi, Hadamard-Howe, and integrals over the special unitary group, Discrete Math. 338 (2015), no. 7, 1232–1238. MR 3322811
- 26. J. M. Landsberg, Minimal submanifolds of E^{2n+1} arising from degenerate SO(3) orbits on the Grassmannian, Trans. Amer. Math. Soc. **325** (1991), no. 1, 101–117. MR 1012515 (91h:53055)
- 27. _____, Minimal submanifolds defined by first-order systems of PDE, J. Differential Geom. **36** (1992), no. 2, 369–415. MR 1180388 (93k:58058)
- 28. _____, On second fundamental forms of projective varieties, Invent. Math. **117** (1994), no. 2, 303–315. MR 1273267 (95g:14057)
- 29. _____, Differential-geometric characterizations of complete intersections, J. Differential Geom. 44 (1996), no. 1, 32–73. MR 1420349 (98d:14062)
- 30. _____, On degenerate secant and tangential varieties and local differential geometry, Duke Math. J. 85 (1996), no. 3, 605–634. MR 1422359 (98d:14066)
- 31. _____, Is a linear space contained in a submanifold? On the number of derivatives needed to tell, J. Reine Angew. Math. **508** (1999), 53–60. MR 1676869 (2000k:14035)
- 32. _____, On a conjecture of Kontsevich and variants of Castelnuovo's lemma, Compositio Math. 115 (1999), no. 2, 231–239. MR 1668998
- 33. _____, On the infinitesimal rigidity of homogeneous varieties, Compositio Math. 118 (1999), no. 2, 189–201. MR 1713310 (2000j:14082)
- 34. _____, Lines on projective varieties, J. Reine Angew. Math. **562** (2003), 1–3. MR 2011327 (2004i:14063)
- 35. _____, The border rank of the multiplication of 2×2 matrices is seven, J. Amer. Math. Soc. **19** (2006), no. 2, 447–459. MR 2188132 (2006j:68034)
- 36. _____, Griffiths-Harris rigidity of compact Hermitian symmetric spaces, J. Differential Geom. **74** (2006), no. 3, 395–405. MR 2269783 (2007m:32014)
- 37. _____, *P versus NP and geometry*, J. Symbolic Comput. **45** (2010), no. 12, 1369–1377. MR 2733384 (2012c:68065)
- 38. _____, Tensors: geometry and applications, Graduate Studies in Mathematics, vol. 128, American Mathematical Society, Providence, RI, 2012. MR 2865915

- 39. _____, New lower bounds for the rank of matrix multiplication, SIAM J. Comput. 43 (2014), no. 1, 144–149. MR 3162411
- 40. _____, Geometric complexity theory: an introduction for geometers, Ann. Univ. Ferrara Sez. VII Sci. Mat. **61** (2015), no. 1, 65–117. MR 3343444
- 41. _____, Nontriviality of equations and explicit tensors in $\mathbb{C}^m \otimes \mathbb{C}^m \otimes \mathbb{C}^m$ of border rank at least 2m-2, J. Pure Appl. Algebra **219** (2015), no. 8, 3677–3684. MR 3320240
- Geometry and complexity theory, Cambridge Studies in Advanced Mathematics, vol. 169, Cambridge University Press, Cambridge, 2017. MR 3729273
- 43. J. M. Landsberg and L. Manivel, The projective geometry of Freudenthal's magic square, J. Algebra 239 (2001), no. 2, 477–512. MR 1832903 (2002g:14070)
- 44. ______, Triality, exceptional Lie algebras and Deligne dimension formulas, Adv. Math. 171 (2002), no. 1, 59–85. MR 1933384 (2003i:17012)
- 45. _____, Series of Lie groups, Michigan Math. J. **52** (2004), no. 2, 453–479. MR 2069810 (2005f:17009)
- 46. _____, The sextonions and $E_{7\frac{1}{5}}$, Adv. Math. **201** (2006), no. 1, 143–179. MR 2204753 (2006k:17017)
- 47. ______, A universal dimension formula for complex simple Lie algebras, Adv. Math. **201** (2006), no. 2, 379–407. MR 2211533 (2006k:17011)
- 48. _____, Legendrian varieties, Asian J. Math. 11 (2007), no. 3, 341–359. MR 2372722 (2008k:14082)
- M. Landsberg and Laurent Manivel, Construction and classification of complex simple Lie algebras via projective geometry, Selecta Math. (N.S.) 8 (2002), no. 1, 137–159. MR 1 890 196
- 50. _____, On the ideals of secant varieties of Segre varieties, Found. Comput. Math. 4 (2004), no. 4, 397–422. MR MR2097214 (2005m:14101)
- 51. _____, Generalizations of Strassen's equations for secant varieties of Segre varieties, Comm. Algebra 36 (2008), no. 2, 405–422. MR MR2387532
- 52. J. M. Landsberg, Laurent Manivel, and Bruce W. Westbury, Series of nilpotent orbits, Experiment. Math. 13 (2004), no. 1, 13–29. MR 2065565 (2005e:17018)
- J. M. Landsberg and Mateusz Michalek, Abelian tensors, J. Math. Pures Appl. (9) 108 (2017), no. 3, 333–371.
 MR 3682743
- 54. _____, On the geometry of border rank decompositions for matrix multiplication and other tensors with symmetry, SIAM J. Appl. Algebra Geom. 1 (2017), no. 1, 2–19. MR 3633766
- 55. J. M. Landsberg, Jason Morton, and Serguei Norine, *Holographic algorithms without matchgates*, Linear Algebra Appl. **438** (2013), no. 2, 782–795. MR 2996367
- J. M. Landsberg and Colleen Robles, Fubini's theorem in codimension two, J. Reine Angew. Math. 631 (2009), 221–235. MR 2542223 (2010h:14078)
- 57. J. M. Landsberg and Nicholas Ryder, On the Geometry of Border Rank Algorithms for $n \times 2$ by 2×2 Matrix Multiplication, Exp. Math. **26** (2017), no. 3, 275–286. MR 3642105
- 58. J. M. Landsberg and Zach Teitler, On the ranks and border ranks of symmetric tensors, Found. Comput. Math. 10 (2010), no. 3, 339–366. MR 2628829 (2011d:14095)
- 59. J. M. Landsberg and Orsola Tommasi, On the Debarre-de Jong and Beheshti-Starr conjectures on hypersurfaces with too many lines, Michigan Math. J. **59** (2010), no. 3, 573–588. MR 2745753 (2012a:14121)
- M. Landsberg and Jerzy Weyman, On the ideals and singularities of secant varieties of Segre varieties, Bull. Lond. Math. Soc. 39 (2007), no. 4, 685–697. MR MR2346950
- On secant varieties of compact Hermitian symmetric spaces, J. Pure Appl. Algebra 213 (2009), no. 11, 2075–2086. MR 2533306 (2010i:14095)
- 62. J.M. Landsberg, Tensors: Asymptotic geometry and developments 2016-2018, CBMS lecture series, AMS (2019).
- 63. J.M. Landsberg and Nicolas Ressayre, Permanent v. determinant: an exponential lower bound assuming symmetry and a potential path towards valiant's conjecture, DGA special issue (2017).
- 64. Joseph M. Landsberg, Laurent Manivel, and Nicolas Ressayre, Hypersurfaces with degenerate duals and the geometric complexity theory program, Comment. Math. Helv. 88 (2013), no. 2, 469–484. MR 3048194
- 65. Joseph M. Landsberg and Mateusz Michalek, A $2n^2 \log_2(n) 1$ lower bound for the border rank of matrix multiplication, Int. Math. Res. Not. IMRN (2018), no. 15, 4722–4733. MR 3842382
- 66. Joseph M. Landsberg and Giorgio Ottaviani, New lower bounds for the border rank of matrix multiplication, Theory Comput. 11 (2015), 285–298. MR 3376667
- 67. Joseph M. Landsberg, Yang Qi, and Ke Ye, On the geometry of tensor network states, Quantum Inf. Comput. 12 (2012), no. 3-4, 346–354. MR 2933533

- 68. Joseph M. Landsberg and Colleen Robles, Fubini-Griffiths-Harris rigidity and Lie algebra cohomology, Asian J. Math. 16 (2012), no. 4, 561–586. MR 3004278
- 69. _____, Fubini-Griffiths-Harris rigidity of homogeneous varieties, Int. Math. Res. Not. IMRN (2013), no. 7, 1643–1664. MR 3044453
- 70. Claude LeBrun and Simon Salamon, Strong rigidity of positive quaternion-Kähler manifolds, Invent. Math. 118 (1994), no. 1, 109–132. MR 95k:53059
- 71. F. Malgouyres and J. Landsberg, Stable recovery of the factors from a deep matrix product and application to convolutional network, ArXiv e-prints (2017).
- 72. Alex Massarenti and Emanuele Raviolo, The rank of $n \times n$ matrix multiplication is at least $3n^2 2\sqrt{2}n^{\frac{3}{2}} 3n$, Linear Algebra Appl. **438** (2013), no. 11, 4500–4509. MR 3034546
- 73. Ketan D. Mulmuley and Milind Sohoni, Geometric complexity theory. I. An approach to the P vs. NP and related problems, SIAM J. Comput. **31** (2001), no. 2, 496–526 (electronic). MR MR1861288 (2003a:68047)
- 74. _____, Geometric complexity theory. II. Towards explicit obstructions for embeddings among class varieties, SIAM J. Comput. 38 (2008), no. 3, 1175–1206. MR MR2421083

DEPARTMENT OF MATHEMATICS, TEXAS A&M UNIVERSITY E-mail address: jml@math.tamu.edu